

To: DAgostino, Daniel[DAgostino.Daniel@epa.gov]
From: Ash, Christine
Sent: Thur 5/24/2018 2:12:25 PM
Subject: RE: Newark Sampling

Ok thanks.

Christine Ash

Chief, Drinking Water and Ground Water Protection Section
EPA Region 2
290 Broadway
New York, NY 10007
ash.christine@epa.gov
(212) 637-4006

From: DAgostino, Daniel
Sent: Thursday, May 24, 2018 10:11 AM
To: Ash, Christine <Ash.Christine@epa.gov>
Subject: FW: Newark Sampling

Hi Christine,

Unfortunately I don't have a good answer on this. I recall on the phone it was very much up in the air as to whether Newark would sample next. I think reaching out to Pat would be a good idea.

Dan

From: DAgostino, Daniel
Sent: Thursday, May 03, 2018 10:49 AM
To: Ash, Christine <Ash.Christine@epa.gov>
Subject: FW: Newark Sampling

Hi Christine,

For the Newark factsheet we were trying to figure out when Newark would be sampling next following their lead ALE. If you have the chance to talk to Pat Gardner it might be a good idea to ask her to get an answer.

Dan

From: Rasso, Mark
Sent: Thursday, May 03, 2018 10:44 AM
To: DAgostino, Daniel <DAgostino.Daniel@epa.gov>
Subject: RE: Newark Sampling

It seems this is a State decision. The question is whether EPA is ok with it.

From: DAgostino, Daniel
Sent: Wednesday, May 02, 2018 3:56 PM
To: Rasso, Mark <Rasso.Mark@epa.gov>
Subject: Newark Sampling

Hi Mark,

Got any info on when they can sample again?

Dan



Daniel J. D'Agostino
Drinking Water and Groundwater Protection Section

